Order online now!

www.rockland.com
tech@rockland.com
+1 484.791.3823

Datasheet for 009-F01-W20-1000

rHuman SCF Protein

Overview

Description:	Human Stem Cell Factor Recombinant Protein (Animal Free) - 009-F01-W20-1000
Item No.:	009-F01-W20-1000
Size:	1 mg
Origin:	Human
Expressed in:	E. coli

Product Details

Background:	Stem Cell Factor (SCF) is a cytokine made by fibroblasts and endothelial cells. SCF binds to the receptor known as c-Kit (CD117) and is thought to play a critical role in the maintenance or survival of hematopoietic stem cells. Human SCF shows no activity on murine cells, but murine and rat SCF are active on human cells. Recombinant human SCF is a non-glycosylated protein, containing 165 amino acids, with a molecular weight of 18.4 kDa
Synonyms:	c-Kit Ligand, KL, Steel Factor, Stem cell factor (SCF), Mast cell growth factor (MGF)
Species of Origin:	Human
Expressed in:	E. coli
Type:	Recombinant Protein
Low Endotoxin:	Yes

Target Details

Gene Name:	KITLG
Purity/Specificity:	Stem Cell Factor is produced with no animal-derived raw products, animal free equipment and animal free protocols. Purity was determined to be greater than 98% as determined by analysis by UV-Spectroscopy at 280nm and by reducing and non-reducing SDS-PAGE.
Relevant Links:	• UniProtKB - P21583

Application Details

Application Note:	Stem Cell Factor Recombinant Protein is suitable as a control for polyclonal or monoclonal anti-Stem Cell Factor in immunological assays. Buffer Formulation: 10 mM sodium phosphate, 50 mM sodium chloride, pH 7.5.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
Other:	Endotoxin Level: Measured by kinetic LAL analysis and is typically ≤ 1 EU/µg protein. Biologic Activity: The activity is determined by the dose-dependent stimulation of Human TF-1 cells and is typically 15 ng/mL.

Formulation

Physical State:	Lyophilized
Buffer:	See application note.
Preservative:	None
Stabilizer:	None
Reconstitution Volume:	1.0 mL
Reconstitution Buffer:	Restore with deionized water (or equivalent)

Shipping & Handling

Shipping Condition:	Ambient
Storage Condition:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature.
Expiration:	Expiration date is six (6) months from date of receipt.

Disclaimer

www.rockland.com
tech@rockland.com
+1 484.791.3823