

www.rockland.com tech@rockland.com +1 484.791.3823

# Datasheet for 600-401-AP3 CTHRC1 Antibody

#### **Overview**

Description:	Anti-CTHRC1 (RABBIT) Antibody - 600-401-AP3
Item No.:	600-401-AP3
Size:	100 μg
Applications:	ELISA, WB
Reactivity:	Human, Mouse, Rat
<b>Host Species:</b>	Rabbit

#### **Product Details**

Background:	The Collagen triple helix repeat-containing protein	(CTHRC1	L) is a glycosylated, secreted protein
-------------	---	---------	--

that is transiently expressed in the arterial wall in response to injury where it is thought to contribute to vascular remodeling by inhibiting collagen expression and deposition and promoting cell migration (1). CTHRC1 is highly expressed multiple human cancers, including pancreatic cancer where it plays a significant role in the progression and metastasis of the disease by regulating migration and adhesion of tumors cells (2). CTHRC1 overexpression can also be used as an independent prognostic marker in gastric cancer (3). Mutations at this locus

have been associated with Barrett esophagus and esophageal adenocarcinoma (4).

Synonyms:	Collagen triple helix repeat-containing protein 1
<b>Host Species:</b>	Rabbit
Clonality:	Polyclonal
Format:	IgG

## **Target Details**

Gene Name:	CTHRC1
Reactivity:	Human, Mouse, Rat
Immunogen Type:	Conjugated Peptide
Immunogen:	Anti-CTHRC1 antibody was prepared from whole rabbit serum produced by repeated immunizations with a 19 amino acid peptide near the N-terminus of human CTHRC1.

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

**Purity/Specificity:** Anti-CTHRC1 antibody was affinity purified from monospecific antiserum by immunoaffinity

chromatography. CTHRC1 antibody is human, mouse and rat reactive. At least two isoforms of

CTHRC1 are known to exist; this antibody will detect only the larger isoform.

Relevant Links: • UniProtKB - Q96CG8

• GeneID - 115908

NCBI - NP\_612464

## **Application Details**

<b>Tested Applications:</b>	ELISA, WB
Application Note:	Anti-CTHRC1 Antibody has been tested for use in ELISA, Western Blotting, IF, and IHC. Expect a band at approximately 26 kDa in Western Blots of specific cell lysates and tissues. Western Blot tested in rat samples; Immunohistochemistry and Immunofluorescence in human samples. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:10,000 - 1:20,000
IF:	20μg/mL
IHC:	5μg/mL
WB:	1-2 μg/mL

## **Formulation**

Stabilizer:	None
Preservative:	0.02% (w/v) Sodium Azide
Buffer:	0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2
Concentration:	1 mg/mL by UV absorbance at 280 nm
Physical State:	Liquid (sterile filtered)

## **Shipping & Handling**

Shipping Condition: Dry Ice

www.rockland.com Page 2 of 3



#### Order online now!

www.rockland.com tech@rockland.com +1 484.791.3823

Storage Condition: Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended

storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted

liquid. Dilute only prior to immediate use.

**Expiration:** Expiration date is one (1) year from date of receipt.

### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3