

www.rockland.com tech@rockland.com +1 484.791.3823

### Datasheet for 600-401-BU3

# **IL-15 Antibody**

#### **Overview**

Description:	Anti-IL-15 (RABBIT) Antibody - 600-401-BU3
Item No.:	600-401-BU3
Size:	100 μg
Applications:	ELISA, IHC, WB
Reactivity:	Human, Mouse, Rat
<b>Host Species:</b>	Rabbit

### **Product Details**

**Background:** Interleukin 15 (IL-15) is a cytokine that regulates T and natural killer cell activation and

proliferation. This cytokine and IL-2 share many biological activities as both have been found to bind common hematopoietin receptor subunits, and may compete for the same receptor, and thus negatively regulate each other's activity. The number of CD8+ memory cells is shown to be controlled by a balance between IL-15 and IL-2. This cytokine induces the activation of JAK kinases, as well as the phosphorylation and activation of transcription activators STAT3, STAT5, and STAT6. In mouse, studies suggest that IL-15 may increase the expression of apoptosis inhibitor Bcl-xL, possibly through the transcription activation activity of STAT6, and thus prevent

apoptosis.

**Synonyms:** IL-15 Antibody, IL-15, Interleukin-15, IL-15

Host Species: Rabbit

Clonality: Polyclonal

Format: IgG

## **Target Details**

Gene Name:	IL15
Reactivity:	Human, Mouse, Rat
Immunogen Type:	Conjugated Peptide
Immunogen:	Anti- IL-15 antibody was prepared from whole rabbit serum produced by repeated immunizations with a 13 amino acid peptide near the internal region of human IL-15.

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

Purity/Specificity:	Anti-IL-15 Antibody was affinity purified from monospecific antiserum by immunoaffinity chromatography. At least two isoforms of IL-15 are known to exist.
Relevant Links:	• UniProtKB - P40933
	• GeneID - 3600
	• NCBI - NP_000576

## **Application Details**

<b>Tested Applications:</b>	ELISA, IHC, WB
Application Note:	Anti-IL-15 Antibody has been tested for use in ELISA, Western Blotting, and Immunohistochemistry. Specific conditions for reactivity should be optimized by the end user. Expect a band at approximately 18 kDa in Western Blots of specific cell lysates and tissues.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:10,000-1:20,000
WB:	1-2 μg/mL

## **Formulation**

Physical State:	Liquid (sterile filtered)
Concentration:	1.0 mg/mL by UV absorbance at 280 nm
Buffer:	0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2
Preservative:	0.02% (w/v) Sodium Azide
Stabilizer:	None

## **Shipping & Handling**

<b>Shipping Condition:</b>	Dry Ice
Storage Condition:	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3