

## Datasheet for 610-1122

**Mouse IgG Fc Antibody Pre-Adsorbed****Overview**

<b>Description:</b>	Goat Anti-Mouse IgG Fc Antibody (Min X Bovine Horse and Human Serum Proteins) - 610-1122
<b>Item No.:</b>	610-1122
<b>Size:</b>	1 mg
<b>Applications:</b>	ELISA
<b>Reactivity:</b>	Mouse
<b>Host Species:</b>	Goat

**Product Details**

<b>Background:</b>	Anti-Mouse IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of mouse IgG and often this fragment is removed from immunoglobulins to minimize receptor binding and lower background reactivity.
<b>Synonyms:</b>	Immunoglobulin, Mouse IgG, Goat Anti-Mouse IgG F(c) Antibody, Goat Anti-Mouse IgG Fc Antibody, Goat Anti-Mouse IgG Fc Fragment Antibody
<b>Host Species:</b>	Goat
<b>Specificity:</b>	IgG Fc
<b>Clonality:</b>	Polyclonal
<b>Format:</b>	IgG

**Target Details**

<b>Reactivity:</b>	Mouse
<b>Immunogen:</b>	Mouse IgG F(c) fragment
<b>Purity/Specificity:</b>	Anti-Mouse IgG F(c) was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption (s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG F(c) and Mouse Serum. No reaction was observed against Mouse IgG F(ab') <sub>2</sub> or Bovine, Horse and Human Serum Proteins.

## Application Details

<b>Tested Applications:</b>	ELISA
<b>Application Note:</b>	Anti-Mouse IgG F(c) antibody has been tested by ELISA and is suitable for ELISA, Western Blot and Immunohistochemistry applications. Antibody should be optimized by end user for specific reactive conditions.
<b>Assay Dilutions:</b>	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
<b>ELISA:</b>	1:450,000
<b>IHC:</b>	1:1,000 - 1:5,000
<b>WB:</b>	1:5,000 - 1:50,000


## Formulation

<b>Physical State:</b>	Liquid (sterile filtered)
<b>Concentration:</b>	1.20 mg/mL by UV absorbance at 280 nm
<b>Buffer:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Preservative:</b>	0.01% (w/v) Sodium Azide
<b>Stabilizer:</b>	None

## Shipping & Handling

<b>Shipping Condition:</b>	Wet Ice
<b>Storage Condition:</b>	Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.
<b>Expiration:</b>	Expiration date is one (1) year from date of receipt.

## Images



### ELISA

ELISA Results of purified Goat Anti-Mouse IgG F(c) Min X Bovine Horse and Human Serums. Each well was coated in duplicate with 1.0  $\mu\text{g}$  of Mouse IgG (010-0102). The working dilution is 27300. The starting dilution of antibody was 5 $\mu\text{g}/\text{ml}$  and the X-axis represents the Log10 of a 3-fold dilution. This titration is a 4-parameter curve fit where the IC50 is defined as the titer of the antibody. Assay performed using HRP Conjugate Stabilizer (p/n MB-076), Dky Anti-Goat IgG HRP conjugated (p/n 605-703-125) and TMB substrate (p/n TMBE-1000).

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.