

www.rockland.com tech@rockland.com +1 484.791.3823

### Datasheet for KOA0690

# Mouse beta IG-H3 - TGFBI ELISA Kit

## **Overview**

Description:	Mouse beta IG-H3/TGFBI AccuSignal ELISA Kit - KOA0690
Item No.:	KOA0690
Size:	1 Kit
Applications:	ELISA
Reactivity:	Mouse
Range:	62.5 pg/ml - 4000 pg/ml

### **Product Details**

Background:	Transforming growth factor, beta-induced, 68kDa, also known as TGFBI (initially called BIGH3, BIG-H3), is a protein which in humans is encoded by the TGFBI gene. It is mapped to 5q31.1. This gene encodes an RGD-containing protein that binds to type I, II and IV collagens. The RGD motif is found in many extracellular matrix proteins modulating cell adhesion and serves as a ligand recognition sequence for several integrins. This protein plays a role in cell-collagen interactions and may be involved in endochondrial bone formation in cartilage. The protein is induced by transforming growth factor-beta and acts to inhibit cell adhesion.
Synonyms:	Beta ig-h3,b eta-IG-H3, BIGH3, CDB1, CDG2, CDGG1, CSD, CSD1, CSD2, CSD3, EBMD, Kerato-epithelin, LCD1, RGD-CAP, RGD-containing collagen-associated protein, TGFBI, Transforming growth factor-beta-induced protein ig-h3
Detection Kit Type:	ELISA Kit
Detection Range:	62.5 pg/ml - 4000 pg/ml
Sensitivity:	<5 pg/ml

# **Target Details**

Gene Name:	TGFBI
Reactivity:	Mouse
Immunogen:	Expression system for standard: NSO; Immunogen sequence: G24-H683
Purity/Specificity:	Natural and recombinant mouse beta IG-H3. There is no detectable cross-reactivity with other relevant proteins.

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

Relevant Links: • UniProtKB - P82198

• NCBI - NP\_033395.1

• GeneID - 21810

KOA0690 Protocol

# **Application Details**

<b>Tested Applications:</b>	ELISA
Application Note:	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 4000pg/ml, 2000pg/ml,1000pg/ml, 500pg/ml, 250pg/ml, 125pg/ml, 62.5pg/ml mouse $\beta$ IG-H3 standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of mouse cell culture supernates, serum or plasma(heparin, EDTA) to each empty well. It is recommended that each mouse $\beta$ IG-H3 standard solution and each sample be measured in duplicate.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

## **Formulation**

Anticoagulant: Heparin Sodium

# **Shipping & Handling**


<b>Shipping Condition:</b>	Wet Ice
Storage Condition:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.
Expiration:	See kit insert for complete instructions.

## **Images**

www.rockland.com Page 2 of 3



www.rockland.com tech@rockland.com +1 484.791.3823



# **ELISA**Mouse βIG-H3/TGFBI ELISA Kit standard curve.

### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3